



Harnessing Artificial Intelligence: Exploring the Potential and Constraints of Machine Learning and Deep Learning for Smart Grid Stability Prediction

¹Isa Ali Ibrahim*, ²Abdurrahman Isa Ali, ³Muhammad Ahmad Baballe

¹School of Information and Communications Technology, Federal University of Technology Owerri, Imo State, Nigeria.

²Nigerian Communications Commission (NCC), Maitama Abuja, Nigeria.

³Department of Mechatronics Engineering, Nigerian Defence Academy (NDA), Kaduna, Nigeria.

<https://orcid.org/0000-0001-9441-7023>

DOI: 10.5281/zenodo.15515685

Submission Date: 15 April 2025 | Published Date: 26 May 2025

*Corresponding author: [Isa Ali Ibrahim](#)

School of Information and Communications Technology, Federal University of Technology Owerri, Imo State, Nigeria.

<https://orcid.org/0000-0002-1418-9911>

Abstract

Electrical transmission technologies known as "smart grids" allow for the economical use of electricity without causing environmental damage. Modern power systems that allow for two-way communication are called smart grids, and they are mostly motivated by the idea of demand responsiveness. Predicting the stability of the smart grid is crucial to improving its dependability and maximizing the efficiency and regularity of electricity transmission. It is difficult to forecast the stability of the smart grid because of the numerous variables that impact it, including producer and customer participation. This study used a range of machine learning and deep learning approaches to forecast the stability of smart grids. This study compares different deep learning and machine learning methods for predicting the stability of smart grids, discussing the advantages and disadvantages of each approach.

Keywords: Effects, Limitations, Artificial Intelligence (AI), Internet of Things (IoT), Machine learning, Smart Grid Stability.

I. INTRODUCTION

Electricity is an essential source of energy that comes from various sources such as airstreams, water, solar cells, thermal, fossil fuels (natural gas, coal, and petroleum), tidal, biomass, and nuclear plants. In the extreme growth of people, the consumption of electricity is increasing day by day. Energy consumption is expected to increase significantly over the next several decades due to factors such as the world's increasing population and industrialization, as well as the expansion of the global economy. As a result of its versatility as an energy source and its widespread availability, electricity has risen to prominence in recent years. Electricity generation stems from a multitude of sources, encompassing thermal energy, solar power, hydroelectricity, nuclear reactors, wind turbines, and the extraction of fossil fuels. This diversity underscores its status as a pivotal energy source. Furthermore, as populations expand and societies progress, the associated surge in power requirements sets higher standards for energy generation. Smart grids have the capability to amalgamate consumer data to establish an efficient electricity distribution system. Smart grids harness renewable energy resources, rendering them a secure addition to the power grid. These grids evaluate real-time supply data through the collection of consumer demand information. Subsequently, they compute the electricity cost and convey this pricing data to customers, enabling them to make informed decisions regarding usage. Given the time-sensitive character of this process, ensuring the stability of a smart grid emerges as one of its principal imperatives. In a smart grid, information about how much power people want is collected, compared centrally to how much power is available now, and then the suggested price information is sent back to users so they can decide how much power to use. Since the whole process depends on time, predicting grid stability dynamically is not only a worry but also a big need. The goal is to comprehend and prepare for changes and disruptions in energy production and/or usage that are caused by people in

the system. This should be done in a dynamic way, taking into account not only technical factors but also how participants react to changes in the energy price.

II. LITERATURE REVIEW

Applying machine learning (ML) and deep learning (DL) techniques to smart grid applications is not new. Alsirhani et al. [1] used a novel MLP-ELM strategy to predict the reliability of smart grid networks by standardizing the results using a Z-score. Non-numeric values were transformed during preprocessing, and patterns were discovered via exploration. The results demonstrated that MLP-ELM outperformed conventional techniques, with 95.5% accuracy, 90% precision, 88% recall, and 89% F-measure, all of which point to its potential in improving smart grid dependability. Breviglieri et al. [2], the authors used a suite of optimized deep learning (DL) models to investigate the distributed smart grid control (DSGC) system across a broad input value range, with the goal of predicting the smart grid's stability without the use of limiting assumptions. The proposed DL models achieved good accuracy. The authors demonstrated that DL models provided novel insights into the simulated environment, and it showed rapid adaptation that improves system stability. The technique suggested in [3] aimed to address the difficulty of stability prediction in the presence of missing data. The loss of a sensor, network link, or other system might account for this missing variable. This work proposed a unique feedforward neural network (FFNN) model that can deal with missing inputs, which proved to be an effective solution to the problem. A star network with just four nodes was used to test the model's accuracy. Four different scenarios with missing input data were used in this analysis. For each scenario, a secondary neural network was trained to forecast the missing variables; these results were then used as input by the main neural network to make stability predictions. During training and testing, the sub-neural network performed the best, with a mean squared error (MSE) of 0.0001 and an R^2 of 0.99. During training, the principal network's R^2 was 0.9, while it was 0.97 during testing. The MSE for this network was 0.008. The models performed quite well across all four scenarios, with MSEs around zero and R-squared values close to one. A novel upgraded stacked GRU-RNN for univariate and multivariate scenarios was used to anticipate renewable energy (RE) production and electricity demand [4]. Multiple sensitive monitoring metrics or historical power consumption data are selected for the input dataset using correlation analysis. A simpler GRU, AdaGrad, and configurable momentum are then built into a stacked GRU-RNN. The revised training approach and redesigned GRU-RNN structure improve training efficiency and robustness. Using its self-feedback connections and better training mechanism, the stacked GRU-RNN maps the specified variables to RE generation or electricity load. Two studies verify the suggested method: predicting wind power production using meteorological characteristics and modeling electricity demand using historical energy usage data. The experimental findings indicated that the suggested technique can provide accurate energy estimates needed for smart grid operations. Naz et al. [5], the authors used the UMass Electric Dataset and two different ways to predict how much power would be used and how much it would cost. The suggested ELR method is better at making predictions than both CNN and LR. This has been proven using measures like MAPE, MAE, MSE, and RMSE on both the UMass Electric and UCI datasets. The dataset, which is multiple, is normalized and then split into a training set and a testing set. Recursive feature elimination (RFE), CART, and Relief-F are all used in feature engineering. ELR, which was made to make accurate predictions, does better than existing models, which is a big step forward for the accuracy of estimates for smart grid operations. Singh and Yassine [6] predicted the energy demand with the help of CNNs. But CNN requires setting a number of levels, which makes it complicated in both space and time. Two improved ways are suggested to make the load and price of energy more accurate. Both methods use samples that have one variable or more than one. Also, both home data and data from utilities are analyzed together. Massaoudi et al. [7] automatically tuned hyperparameters using simulated annealing to improve the forecasting model. Simulations revealed that the suggested model made accurate predictions on a simulated electrical grid stability dataset. Comparisons show its advantages over cutting-edge solutions. Bingi and Prusty [8], the authors, proposed neural network models trained with the damped least-squares technique for predicting the stability of smart grids. The results demonstrate the superior performance of the feed-forward neural network in terms of minimal error and highest R^2 values for the considered system. Tiwari et al. [9], the authors used a range of ML methods to guess the grid's security and keep it from breaking down. A Kaggle dataset was used in the tests. With 98% accuracy, the suggested model could predict load using the bagging classifier method. Accurate predictions of how much power will be used are a key part of keeping the grid from going down, which makes the grid more stable and stronger overall. Ahmed et al. [10], the authors discussed how smart grids and green energy may be utilized in combination to meet rising energy demand. They discussed the challenges of designing a smart grid with green energy. The authors also noted the importance of ML models over statistical models for nonlinear data. Mohsen et al. [11], the authors recommended employing a neural network to forecast the reliability of a smart grid. The dataset used is derived from DSGC system simulations. Testing the suggested neural network's efficacy yielded a loss rate of 0.06, an accuracy of 97%, and a loss rate of 0.06 during training. Hong et al. [12], the authors introduced a short-term residence load forecasting system that uses DL to exploit the spatiotemporal correlation found in load data from appliances. Paragraphs are used to explain the way in which a particular activity or set of actions is related to one another inside the same sequence of words. To learn the association among various power consumption habits for short-term load forecasting, a deep neural network and iterative ResBlock-based technique are developed. The effectiveness of the suggested forecasting method has been tested via experiments using real-world observations. The outcomes demonstrate that load data from appliances and iterative ResBlocks may both contribute to better predicting

results. Alazab et al. [13], a unique multidirectional long short-term memory (LSTM) approach is being developed to forecast the stability of the smart grid network. Results are compared to those achieved using other well-known DL methods, such as GRU and conventional LSTM and RNN. The experimental findings demonstrate that MLSTM performs better than the competing ML methods. Bose et al. [14], the authors addressed innovative smart grid AI applications. Automation of current wind-generating system design and health monitoring in operation, fault pattern detection of an SG subsystem, and real-time simulator-based SG control are these applications. Many additional applications may be created from these examples. The article begins with a quick overview of AI basics relevant to these applications. Jindal et al. [15] used DT and support vector machine (SVM) classifiers to analyze power use data rigorously. Since the SVM classifier receives DT-processed data, the suggested technique is a two-level data processing and analysis strategy. Furthermore, the findings show that the suggested approach greatly lowers false positives and is feasible for real-time use. Önder et al. [16], the authors applied cascading of ML algorithms and achieved good results. The results showed that cascade methods outperformed conventional ML methods. Sallam [17] applied the DL technique for smart grid stability prediction and achieved good results. A case study of ML models used to anticipate smart grid stability and difficulties that may arise when renewable energy is employed was described in [18]. The authors in [19] applied various ML techniques for smart grid stability prediction and achieved good results. They used ML models to predict power-grid synchronization stability [20]. The algorithms used in experiments are RF, SVM, and artificial neural networks (ANN). Neelakandan et al. [21] are creating a stability prediction system using MHSA-LSTM. SOS optimization was used to optimize MHSA-LSTM model hyperparameters. The AHBFS and SOS algorithms greatly affect the MHSA-LSTM models for stability prediction. Several simulations illustrate AHBFS-ODLSP model adjustments and analyze their results. The AHBFS-ODLSP approach performs best with a 99% F score. Reddy et al. [22] utilized neural networks, decision trees (DTs), and SVM in smart grid management systems and performed well. Maizana et al. [23] carried out a stability investigation of the smart grid management system on the campus building. The authors observed that the battery is acting as a source while the PLN and solar cells are providing the energy, or vice versa, and just one bus at the load is in an unstable or dangerous state. Aziz and Lawi [24] proposed ensemble ML methods for electrical grid stability and achieved good accuracy. The authors experimented with C4.5 and CART algorithms and reported good results. Merza et al. [25] describe AI strategies built on DL algorithms that can use real-time measurement data to detect foreign direct investment (FDI) assaults on smart grids. Untraceable FDI assaults that bypass SVE defenses are countered with the help of the convolutional deep belief network (CDBN) design. Most of the existing works proposed conventional ML models or DL models for stability prediction in smart grids. In this paper, the authors proposed a novel fusion method of ML and DL algorithms for smart grid stability prediction. The rest of the paper is organized as follows: Section 2 explains the proposed method. Section 3 consists of results and discussion. Section 4 has a conclusion [26]. The present work proposed five different cascade methods with pre-processing, training and testing division, and the classification stages of the classification procedure for estimating SG stability [27]. This study [28] proposes a machine learning model to identify smart grid stability more efficiently. To accomplish this, we collected the electrical grid stability dataset from a public machine learning repository and analyzed the correlation of individual features. In [29], this paper discusses a comprehensive review of AI-based modeling, an AI-enabled smart grid for demand forecasting that leverages machine learning (ML) and artificial intelligence (AI) techniques to predict electricity demand with high accuracy and efficiency. It integrates advanced data analytics with the grid's operational systems to enable better decision-making, enhance grid management, and improve energy efficiency. This paper [30] intends to predict stability from the smart grid stability prediction dataset using machine learning algorithms. This research [31] presents a hybrid deep learning model (Convolutional Neural Network [CNN] with Bi-LSTM) with a two-way attention method and a multi-objective particle swarm optimization method (MPSO) for short-term load prediction from a smart grid. This study addresses this challenge by leveraging machine learning (ML) models and explainable artificial intelligence (XAI) techniques to predict the stability of a decentralized smart grid [32]. This paper presents an optimized Long Short-Term Memory model for predicting smart grid stability, leveraging the Novel Guide-Waterwheel Plant Algorithm (Guide-WWPA) for enhanced performance. Traditional methods often struggle with the complexity and dynamic nature of smart grids, necessitating advanced approaches for accurate predictions. The proposed LSTM model, optimized using Guide-WWPA, addresses these challenges by effectively capturing temporal dependencies and nonlinear relationships in the data [33]. This paper compares machine learning-based traditional and ensemble techniques for predicting smart grid stability, utilizing an augmented dataset from Kaggle. For optimization, various classifiers and ensemble techniques, including bagging, boosting, stacking, and voting, were implemented with hyperparameter tuning [34]. This study explores the performance of various machine learning classifiers in predicting the stability of smart grid systems. Utilizing a smart grid dataset obtained from the University of California's machine learning repository, classifiers such as logistic regression (LR), XGBoost, linear support vector machine (linear SVM), and SVM with radial basis function (SVM-RBF) were evaluated [35].

III. THE ADVANTAGES OF THE SMART GRIDS

Improved energy efficiency, increased dependability, better integration of renewable energy, and reduced utility operating costs are just a few benefits of smart grids. They also make it possible for more precise billing, lower peak demand, and give customers access to real-time energy usage data, which promotes energy saving and better decision-making.

Here's a more detailed breakdown of the benefits of smart grids:

1. Efficiency and Reliability:

- i) Reduced energy losses:
Smart grids can identify and reduce energy losses throughout the system, leading to cost savings for both utilities and consumers.
- ii) Improved grid reliability:
By enabling faster fault detection and automated restoration processes, smart grids can reduce the frequency and duration of power outages.
- iii) Optimized energy flow:
They can balance the flow of power more efficiently, reducing waste and improving overall grid performance.
- iv) Reduced peak demand:
By enabling better demand management and peak load reduction, smart grids can help utilities avoid costly investments in new generation infrastructure.

2. Renewable Energy Integration:

- i) Seamless integration of renewable sources:
Smart grids are well-suited to integrate renewable energy sources like solar and wind power into the grid, making the system more sustainable and environmentally friendly.
- ii) Facilitates distributed energy resources:
They can support the connection of distributed energy resources (DERs), such as solar panels on homes, to the grid.

3. Cost and Efficiency:

- i) Lower operational costs for utilities:
By automating tasks and optimizing energy flow, smart grids can reduce the operational costs for utilities.
- ii) Accurate billing:
They provide real-time data on electricity usage, enabling more accurate and fair billing for consumers.
- iii) Cost savings for consumers:
Reduced energy losses and the ability to participate in demand response programs can lead to cost savings for consumers.

4. Other Benefits:

- i) Enhanced environmental sustainability:
By promoting energy efficiency and renewable energy integration, smart grids contribute to a more sustainable energy future.
- ii) Improved security:
They offer enhanced security measures to protect against cyberattacks and other threats.
- iii) Real-time data and analytics:
Smart grids provide real-time data on energy usage, allowing utilities and consumers to monitor and optimize their energy consumption.
- iv) Support for electric vehicles:
They can facilitate the integration of electric vehicles into the grid, supporting the transition to a cleaner transportation system [36].

IV. DISADVANTAGES OF THE SMART GRID SYSTEMS

Smart grids, while offering numerous benefits, also present some challenges. High initial costs, regulatory hurdles, cybersecurity concerns, and the need for interoperability between different technologies are major disadvantages. Additionally, there are concerns about data privacy, the integration of renewable energy sources, and potential impacts on public acceptance and education.

Here's a more detailed look at the disadvantages of smart grids:

1. High Initial Costs: Implementing a smart grid requires significant investment in new technologies, infrastructure upgrades, and the development of smart meters and communication systems. This can be a major financial barrier for utilities and governments.
2. Regulatory Hurdles: Smart grid technologies often require changes to existing regulations and policies to ensure their effective implementation. This can create delays and complexities in the rollout process.

3. **Cybersecurity Risks:** The increased connectivity of smart grids creates new opportunities for cyberattacks, potentially disrupting power supply and causing damage to the grid. Robust cybersecurity measures are essential to mitigate these risks.
4. **Interoperability Challenges:** Ensuring that different smart grid technologies and devices can communicate and work together seamlessly is a significant challenge. This requires the development of standardized protocols and interfaces.
5. **Data Privacy Concerns:** Smart grids collect and process large amounts of data about individual energy consumption patterns, raising privacy concerns. Robust data protection measures are necessary to safeguard this sensitive information.
6. **Integration of Renewable Energy Sources:** While smart grids can facilitate the integration of renewable energy sources, there are still challenges in managing the intermittent nature of these sources and ensuring grid stability.
7. **Public Acceptance and Education:** Gaining public acceptance and understanding of smart grid technologies and their benefits is crucial for successful implementation. This requires effective communication and education efforts.
8. **Potential for System Instability:** The integration of renewable energy sources, which can be intermittent, can potentially introduce instability into the grid, requiring sophisticated management strategies.
9. **Technical Challenges:** The integration of new technologies and systems can sometimes pose technical challenges, such as compatibility issues with existing infrastructure and the need for specialized expertise [38].

V. RECOMMENDATIONS AND CONCLUSION

For this study, we have examined several papers and conferences pertaining to smart grids. We have seen the variety of methods they have used to predict the smart grid's stability. There has also been discussion on the impact of smart grid technology [37]. The smart grid system's shortcomings are discussed.

- i) **Hybrid Approach:** Develop hybrid models integrating machine learning and deep learning techniques to leverage their strengths and improve prediction accuracy for smart grid stability;
- ii) **Data Quality and Quantity:** Ensure high-quality, diverse, and extensive datasets for training and testing AI models and systems;
- iii) **Interpretability and Transparency:** Implement techniques to provide insights into AI decision-making processes;
- iv) **Real-time Deployment:** Integrate AI models into real-time smart grid operations for proactive stability prediction and control;
- v) **Continuous Learning:** Regularly update and retrain AI models to adapt to changing grid conditions; and
- vi) **Collaboration and Standardisation:** Foster collaboration and establish standardised frameworks for AI-driven smart grid stability prediction.

REFERENCES

1. A. Alsirhani, M. M. Alshahrani, A. Abukwaik, A. I. Taloba, R. M. A. El-Aziz, and M. Salem, "A novel approach to predicting the stability of the smart grid utilizing MLP-ELM technique," *Alexandria Engineering Journal*, vol. 74, pp. 495–508, Jul. 2023, doi: 10.1016/j.aej.2023.05.063.
2. P. Breviglieri, T. Erdem, and S. Eken, "Predicting smart grid stability with optimized deep models," *SN Computer Science*, vol. 2, no. 2, 2021, doi: 10.1007/s42979-021-00463-5.
3. M. B. Omar, R. Ibrahim, R. Mantri, J. Chaudhary, K. R. Selvaraj, and K. Bingi, "Smart grid stability prediction model using neural networks to handle missing inputs," *Sensors*, vol. 22, no. 12, p. 4342, Jun. 08, 2022, doi: 10.3390/s22124342.
4. M. Xia, H. Shao, X. Ma, and C. W. de Silva, "A stacked GRU-RNN-based approach for predicting renewable energy and electricity load for smart grid operation," *IEEE Transactions on Industrial Informatics*, vol. 17, no. 10, pp. 7050–7059, Oct. 2021, IEEE, doi: 10.1109/tii.2021.3056867.
5. A. Naz, M. Javed, N. Javaid, T. Saba, M. Alhussein, and K. Aurangzeb, "Short-term electric load and price forecasting using enhanced extreme learning machine optimization in smart grids," *Energies*, vol. 12, no. 5, p. 866, Mar. 05, 2019, doi: 10.3390/en12050866.
6. S. Singh and A. Yassine, "Big data mining of energy time series for behavioral analytics and energy consumption forecasting," *Energies*, vol. 11, no. 2, p. 452, Feb. 20, 2018, doi: 10.3390/en11020452.
7. M. Massaoudi, H. Abu-Rub, S. S. Refaat, I. Chihi, and F. S. Oueslati, "Accurate smart-grid stability forecasting based on deep learning: point and interval estimation method," *2021 IEEE Kansas Power and Energy Conference (KPEC)*, IEEE, Apr. 19, 2021, doi: 10.1109/kpec51835.2021.9446196.
8. K. Bingi and B. R. Prusty, "Neural network-based models for prediction of smart grid stability," *2021 Innovations in Power and Advanced Computing Technologies (i-PACT)*, IEEE, Nov. 27, 2021, doi: 10.1109/i-pact52855.2021.9696517.
9. S. Tiwari, A. Jain, K. Yadav, and R. Ramadan, "Machine learning-based model for prediction of power consumption in smart grid," *The International Arab Journal of Information Technology*, vol. 19, no. 3, 2022, doi: 10.34028/iajit/19/3/5.

10. W. Ahmed et al., "Machine learning based energy management model for smart grid and renewable energy districts," IEEE Access, vol. 8, IEEE, pp. 185059–185078, 2020, doi: 10.1109/access.2020.3029943.
11. S. Mohsen, M. Bajaj, H. Kotb, M. Pushkarna, S. Alphonse, and S. S. M. Ghoneim, "Efficient artificial neural network for smart grid stability prediction," International Transactions on Electrical Energy Systems, vol. 2023, pp. 1–13, May 08, 2023, doi: 10.1155/2023/9974409.
12. Y. Hong, Y. Zhou, Q. Li, W. Xu, and X. Zheng, "A deep learning method for short-term residential load forecasting in smart grid," IEEE Access, vol. 8, pp. 55785–55797, 2020, IEEE, doi: 10.1109/access.2020.2981817.
13. M. Alazab, S. Khan, S. S. R. Krishnan, Q.-V. Pham, M. P. K. Reddy, and T. R. Gadekallu, "A multidirectional LSTM model for predicting the stability of a smart grid," IEEE Access, vol. 8, IEEE, pp. 85454–85463, 2020, doi: 10.1109/access.2020.2991067.
14. B. K. Bose, "Artificial intelligence techniques in smart grid and renewable energy systems-some example applications," Proceedings of the IEEE, vol. 105, no. 11, Nov. 2017, pp. 2262–2273, IEEE, doi: 10.1109/jproc.2017.2756596.
15. A. Jindal, A. Dua, K. Kaur, M. Singh, N. Kumar, and S. Mishra, "Decision tree and SVM-based data analytics for theft detection in smart grid," IEEE Transactions on Industrial Informatics, vol. 12, no. 3, pp. 1005–1016, Jun. 2016, IEEE, doi: 10.1109/tii.2016.2543145.
16. M. Önder, M. U. Dogan, and K. Polat, "Classification of smart grid stability prediction using cascade machine learning methods and the internet of things in smart grid," Neural Computing and Applications, vol. 35, no. 24, pp. 17851–17869, May 26, 2023, doi: 10.1007/s00521-023-08605-x.
17. N. M. Sallam, "Check the stability of smart grid using deep learning technique," International Journal of Research Publication and Reviews, vol 4, no 8, pp 513-517, August 2023.
18. H. F. Ezzahra, M. Aatila, M. Lachgar, and A. Abdali, "Predicting smart grid stability using machine learning algorithms," 2022 11th International Symposium on Signal, Image, Video and Communications (ISIVC), IEEE, May 18, 2022, doi: 10.1109/isivc54825.2022.9800733.
19. V. S. S. Reddy, K. Chandan, P. Nimmy, T.V. Smitha, and K. V. Nagaraja, "An efficient machine learning model for smart grid stability prediction," in International Conference on Emerging Technologies in Engineering and Science (ICETES), 2023.
20. S.-G. Yang, B. J. Kim, S.-W. Son, and H. Kim, "Power-grid stability predictions using transferable machine learning," Chaos: An Interdisciplinary Journal of Nonlinear Science, vol. 31, no. 12, Dec. 01, 2021, doi: 10.1063/5.0058001.
21. R. S. S. Neelakandan, M. Prakash, B. T. Geetha, S. M. R. Asha, and M. K. Roberts, "Artificial humming bird with data science enabled stability prediction model for smart grids," Sustainable Computing: Informatics and Systems, vol. 36, p. 100821, Dec. 2022, doi: 10.1016/j.suscom.2022.100821.
22. V. S. K. Reddy, T. Saravanan, N. T. Velusudha, and T. S. Selwyn, "Smart grid management system based on machine learning algorithms for efficient energy distribution," E3S Web of Conferences, vol. 387, p. 02005, 2023, doi: 10.1051/e3sconf/202338702005.
23. D. Maizana, A. Rezky, S. M. Putri, H. Satria, and M. Mungkin, "Stability analysis of smart grid management system on campus building," Indonesian Journal of Electrical Engineering and Computer Science (IJECS), vol. 30, no. 3, Institute of Advanced Engineering and Science, p. 1321, Jun. 01, 2023, doi: 10.11591/ijeecs.v30.i3.pp1321-1330.
24. F. Aziz and A. Lawi, "Increasing electrical grid stability classification performance using ensemble bagging of C4.5 and classification and regression trees," International Journal of Electrical and Computer Engineering (IJECE), vol. 12, no. 3, p. 2955, Jun. 01, 2022, doi: 10.11591/ijece.v12i3.pp2955-2962.
25. M. E. Merza, S. H. Hussein, and Q. I. Ali, "Identification scheme of false data injection attack based on deep learning algorithms for smart grids," Indonesian Journal of Electrical Engineering and Computer Science (IJECS), vol. 30, no. 1, p. 219, Apr. 01, 2023, doi: 10.11591/ijeecs.v30.i1.pp219-228.
26. A. Lakshmanarao, et al., "An efficient smart grid stability prediction system based on machine learning and deep learning fusion model," Indonesian Journal of Electrical Engineering and Computer Science, Vol. 33, No. 2, February 2024, pp. 1293~1301, DOI: 10.11591/ijeecs.v33.i2.pp1293-1301.
27. M. O nder, M. U. Dogan, K. Polat, "Classification of smart grid stability prediction using cascade machine learning methods and the internet of things in smart grid", Neural Computing and Applications, <https://doi.org/10.1007/s00521-023-08605-x>.
28. S. Satu, I. Khan, "Machine Learning Approaches To Predict The Stability of Smart Grid", Research Square, DOI: <https://doi.org/10.21203/rs.3.rs-3866218/v1>.
29. M. A. Suresh Babu, et al., "Applications of Artificial Intelligence in (Machine Learning /Deep learning) Smart Grid", International Journal of Scientific Research in Engineering and Management (IJSREM), Volume: 09 Issue: 03 | March – 2025.
30. A. Binbusayyis, M. Sha, "Stability Prediction in Smart Grid Using PSO Optimized XGBoost Algorithm with Dynamic Inertia Weight Updation", CMES, 2025, vol.142, no.1. DOI: 10.32604/cmes.2024.058202.
31. U. K. Lilhore, et al., "Smart grid stability prediction model using two-way attention based hybrid deep learning and MPSO", Energy Exploration & Exploitation, 2025, Vol. 43, No. 1, pp. 142–168.

DOI: 10.1177/01445987241266892.

32. A. CIFCI, “Interpretable Prediction of a Decentralized Smart Grid based on Machine Learning and Explainable Artificial Intelligence” IEEE ACCESS, DOI 10.1109/ACCESS.2025.3543759.
33. F. K. Karim, et al., “Optimized LSTM for Accurate Smart Grid Stability Prediction Using a Novel Optimization Algorithm”, Front. Energy Res. 12:1399464, 2024, Doi: 10.3389/fenrg.2024.1399464.
34. S. Hassan, et al., “Performance Analysis of Machine Learning-Based Traditional and Ensemble Techniques for Smart Grid Stability Prediction”, 6th International Conference on Electrical Engineering and Information & Communication Technology (ICEEICT), Military Institute of Science and Technology (MIST), Dhaka-1216, Bangladesh, 2024.
35. Lahon, P.; Kandali, A.B.; Barman, U.; Konwar, R.J.; Saha, D.; Saikia, M.J. “Deep Neural Network-Based Smart Grid Stability Analysis: Enhancing Grid Resilience and Performance”, MDPI, Energies, 2024, 17, 2642. <https://doi.org/10.3390/en17112642>.
36. https://www.google.com/search?q=advantages+of+smart+grid&oq=Smart+Grid+Stability+Prediction&gs_lcrp=EgZjaHJvbWUqDQgDEAAyhgMYgAQYigUyBggAEEUYOTIICAEQABgWGB4yDQgCEAAyhgMYgAQYigUyDQgDEAAyhgMYgAQYigUyCggEEAAyhgAQYogQyBwgFEAAy7wUyBggGEEUYPNIBCjIxoTM1ajBqMTWoAgIwAgHxBTWIcqS-6krh&sourceid=chrome&ie=UTF-8.
37. Livingston S. A., Aliyu S., Sarafadeen L. L., & Muhammad A. B. “Comparative Study on Various Smart Grid Stability Predictions with Deep Learning and Machine Learning”, In Global Journal of Research in Engineering & Computer Sciences, Vol. 5, Number 3, pp. 25–30, 2025, <https://doi.org/10.5281/zenodo.15366796>.
38. https://www.google.com/search?q=DISADVANTAGES+OF+THE+SMART+GRIDS&oq=DISADVANTAGES+OF+THE+SMART+GRIDS&gs_lcrp=EgZjaHJvbWUyBggAEEUYOdIBCjE0MDMxajBqMTWoAgywAgHxBdfZ0o oKqjUJ&sourceid=chrome&ie=UTF-8.

CITATION

Ibrahim, I. A., Abdurrahman I. A., & Muhammad A. B. (2025). Harnessing Artificial Intelligence: Exploring the Potential and Constraints of Machine Learning and Deep Learning for Smart Grid Stability Prediction. In Global Journal of Research in Engineering & Computer Sciences (Vol. 5, Number 3, pp. 46–52).

<https://doi.org/10.5281/zenodo.15515685>