OPEN ACCESS
Global Journal of Research in Education & Literature
ISSN: 2583-2662 (Online)
Volume 05 | Issue 03 | May-June | 2025
Journal homepage: https://gjrpublication.com/gjrel/

Research Article

The Effect of Topological Properties of Commutative Algebraic Rings on Local Cohomology Modules

*Ebrahim Zangoiezadeh

Faculty Member, Department of Mathematics, Payame Noor University, Tehran, Iran

DOI: 10.5281/zenodo.15564742 **Submission Date:** 25 April 2025 | **Published Date:** 31 May 2025

***Corresponding author:** *Ebrahim Zangoiezadeh**
Faculty Member, Department of Mathematics, Payame Noor University, Tehran, Iran

Abstract
This research investigates the effect of topological properties of commutative algebraic rings on local cohomology modules. The main goal is to analyze in detail the relationship between Zariski topology, localization, and topological stability with the structure and properties of local cohomology modules. This research uses an analytical method and investigates the subject by reviewing the literature and basic concepts, theoretical analysis, mathematical modeling and formulation, and data and results analysis .Mathematical tools such as long cohomology sequences and fractional functions are employed. The results show that the Zariski topology and localization of rings have a direct impact on local cohomology modules. Also, the topological stability of rings under various algebraic transformations helps to preserve and analyze the properties of local cohomology modules. The findings of this research can contribute to the development of theoretical knowledge in the field of commutative algebra and algebraic geometry and lead to practical applications in various fields such as number theory and computer science.

Keywords: *Commutative algebra, Zariski topology, localization, local cohomology modules, topological stability.*

1. Introduction

Research on the topology of commutative algebraic rings and its impact on local cohomology modules is one of the important and leading topics in pure mathematics. Commutative algebraic rings, as one of the fundamental structures in commutative algebra, play an important role in understanding algebraic and geometric structures. The topology of these rings can provide deep information about their algebraic and geometric properties. (Fathi et al., 2015)

Local cohomology modules, as powerful tools in the study of algebraic and geometric structures, allow us to carefully examine the local and global properties of an algebraic ring. These modules are particularly useful in various fields, including commutative algebra, algebraic geometry, and number theory (Chu, 2009).

In commutative algebra and algebraic geometry, commutative algebraic rings are recognized as one of the fundamental structures, the study of which contributes to a deeper understanding of algebraic and geometric structures. One of the important methods for analyzing these rings is the use of topology, which allows us to investigate the algebraic and geometric properties of rings locally and globally. On the other hand, local cohomology modules are used as a powerful tool in the study of algebraic and geometric structures. These modules allow us to carefully investigate and analyze the local and global properties of an algebraic ring. However, the exact connection between the topological properties of commutative algebraic rings and the properties of local cohomology modules is still not fully understood (Herzog, 1970).

The aim of this research is to investigate the effect of topological properties of commutative algebraic rings on local cohomology modules. In this regard, we first introduce basic concepts such as commutative algebraic rings and their topology, and then we investigate local cohomology modules. In the following, the effect of topological properties on the properties of these modules is analyzed and investigated.

This research can help to better understand the relationship between topology and commutative algebra and lead to the development of new tools for analyzing algebraic and geometric structures. In addition, the results of this research can be useful in various applications such as algebraic geometry and number theory.

2 .Theoretical foundations

2.1 Algebraic commutation rings

Commutative algebraic rings[1] are one of the most fundamental structures in commutative algebra. These rings are particularly important in the study of algebraic and geometric structures. A commutative algebraic ring is a ring in which the operation of multiplication is commutative, that is, for both elements (a) and (b) in the ring, the relation $a \cdot b = b{\cdot}a$ holds. This property makes many properties and results in commutative algebra simpler and more analyzable. (Yasmi et al., 1995)

Topological properties of commutative algebraic rings play an important role in understanding algebraic and geometric structures. One important concept in this field is the spectrum of a ring[2], which is the set of prime ideals of that ring. The spectrum of a ring is equipped with the Zariski topology, which is the main tool in the topological study of commutative algebraic rings.

The Zariski topology is defined on the spectrum of a ring in such a way that its closed sets are defined as sets of algebraic varieties. This topology allows us to carefully examine local and global properties of rings. For example, we can identify closed points and general points in the spectrum of a ring and study their properties.

Another important concept in the topology of commutative algebraic rings is the concept of localization. Localization allows us to study the properties of a ring at a specific point or a specific subset of that ring. This concept is especially important in the study of local cohomology modules.

$$
\begin{tikzcd}
R \arrow[r] \arrow[d] & S \arrow[d] \arrow[ddr, bend left] & \\
T \arrow[r] \arrow[drr, bend right] & S \otimes_R T \arrow[dr, dotted] & \\
 & & W
\end{tikzcd}
$$

Figure 1: Displacement algebra loop

This method is transferred to another algebra and transferred by a vector. (Figure 1) This algebra is written in coordinate form. In this method, the algebraic coordinates are named K, H, G, Q, etc. in capital letters and the transfer vector is named a.s.g.t.i.o.p, etc. in lowercase letters. This topic is used in vector multiplication and vector addition.

In two dimensions (y,x)

In three dimensions (z,y,x)

2. Local cohomology modules

Local cohomology modules[2] are powerful tools in the study of algebraic and geometric structures. They allow us to carefully examine and analyze the local and global properties of an algebraic ring. Local cohomology modules are particularly useful in various fields, including commutative algebra, algebraic geometry, and number theory. Local cohomology modules are defined by local cohomology functions that examine the algebraic and topological properties of a ring at a particular point or a particular subset of that ring. These functions specifically allow us to extract local information about rings and analyze their properties.

---

[1] Commutative Rings

[2] Local Cohomology Modules

One of the key concepts in the study of local cohomology modules is the concept of support. The support of a local cohomology module refers to the set of points in the spectrum of a ring at which the local cohomology module is nonzero. This concept helps us to identify critical points in the study of rings. In addition, local cohomology modules are analyzed by various tools, including long cohomology sequences and fractional functions. These tools allow us to carefully examine and analyze the exact properties of the modules. Another important aspect in the study of local cohomology modules is the concept of dimension. The dimension of a local cohomology module refers to the number of independent points in the support of that module. This concept helps us to carefully analyze the complexity and structure of the modules. (Romtan, 2009)

2.3 The effect of topological properties on local cohomology modules

The influence of topological properties of commutative algebraic rings on local cohomology modules is one of the important and complex issues in commutative algebra and algebraic geometry. One of the important aspects in this field is the influence of Zariski topology on local cohomology modules. Zariski topology allows us to identify closed sets and critical points in the spectrum of a ring and analyze their influence on local cohomology modules. In addition, localization is used as one of the important tools in studying the influence of topological properties on local cohomology modules.

Another important aspect in this field is the effect of topological stability on local cohomology modules. Topological stability allows us to analyze the changes of local cohomology modules under different algebraic transformations. This concept is especially important in the study of topological transformations of rings and their effect on local cohomology modules. It is worth mentioning the effect of topological dimensions on local cohomology modules. Topological dimensions refer to the number of independent points in the spectrum of a ring and help us to analyze the complexity and structure of local cohomology modules accurately. This concept is especially important in studying the relationship between topological and algebraic properties of rings. (Mestora, 1986)

3. Importance and necessity of research

Research on the effect of topological properties of commutative algebraic rings on local cohomology modules has several importance and necessities, some of which are mentioned below:

1. Advancement of theoretical knowledge: This research can help develop and expand theoretical knowledge in the field of commutative algebra and algebraic geometry. By better understanding the relationship between topological properties and local cohomology modules, new and important results can be achieved in this field.
2. Practical applications: The results of this research can be useful in various applications, including algebraic geometry, number theory, and even computer science. For example, in cryptography and data analysis, algebraic and topological tools are used, and the results of this research can be effective in improving them.
3. Foundation for future research: This research can be used as a foundation for future research in related fields. By presenting new results and concepts, new paths can be opened for academic and industrial research.
4. Development of new tools: By carefully examining and analyzing the topological properties and local cohomology modules, it is possible to develop new tools for analyzing algebraic and geometric structures. These tools can be useful in solving complex algebraic and geometric problems.
5. International knowledge exchange: This research can contribute to the exchange of knowledge and international collaborations in the field of commutative algebra and algebraic geometry. The results of this research can be published and shared in international conferences and scientific journals.

4. Research hypotheses

1. First hypothesis: The topological properties of commutative algebraic rings have a direct impact on the structure and properties of local cohomology modules.
2. Second hypothesis: The Zariski topology on the spectrum of a commutative algebraic ring can help identify critical points and their impact on local cohomology modules.
3. Third hypothesis: Localizing commutative algebraic rings as a topological tool can help to more accurately analyze local cohomology modules.
4. Fourth hypothesis: The topological stability of commutative algebraic rings under various algebraic transformations can help to preserve and analyze the properties of local cohomology modules.
5. Fifth hypothesis: The topological dimensions of commutative algebraic rings have a direct impact on the complexity and structure of local cohomology modules.

5 . Research Method

The present research method is analytical and theoretical. In this method, first, the literature and basic concepts in the field of commutative algebra, topology, and local cohomology are reviewed. Valid scientific sources including articles, books, and previous research are reviewed to understand the concepts and theories related to the research topic well. Then, theoretical analysis and mathematical modeling are performed to formulate algebraic and topological relations and equations that show the effect of topological properties of commutative algebraic rings on local cohomology modules.

Mathematical tools such as long cohomology sequences and fractional functions are used to accurately analyze the structures and properties of the modules.

Next, the data obtained from modeling and theoretical analyses are examined using analytical and statistical methods. The obtained results are interpreted and the research hypotheses are evaluated. Finally, conclusions are drawn from the obtained results and the relationship between topological properties and local cohomology modules is examined. Also, suggestions for future research and practical applications of the research results are presented. This analytical method allows researchers to examine the effect of topological properties on local cohomology modules with more precision and comprehensiveness and to achieve reliable results.

In mathematical and theoretical research, the statistical population and sampling in the traditional form used in experimental and field research may not exist. However, in order to make the analyses and investigations more accurate, the following can be done:

- The statistical population of this research includes all commutative algebraic rings with different topological properties. These rings can include polynomial rings, complex function rings, algebraic function rings, etc.
- Selecting specific examples of commutative algebraic rings that have distinct and specific topological properties.
- Examining and analyzing the selected examples in order to extract results and generalize them to the general statistical population.

  Sample selection criteria:
- Rings that have a well-defined and analyzable Zariski topology.
- Rings whose localization and topological stability can be carefully investigated.
- Rings whose local cohomology modules are well-defined and analyzable.

5.1 Research variables

1. Independent variable: Topological properties of commutative algebraic rings
2. Dependent variable: Local cohomology modules
3. Control variables: Algebraic properties of rings
4. Intervening variables: Algebraic and topological transformations

6. Research Findings

6.1. The Effect of Zariski Topology on Local Cohomology Modules

Formula:
Let R be a commutative algebraic ring and p be a prime ideal in R. The Zariski topology is defined on Spec(R).
The local cohomology modules $H_p^i(M)$ for a module M on R are defined as (1):

$$H_p^i(M) = \lim_{\to 0} Ext_r^i(\frac{R}{p^n}.M) \quad (1)$$

Analysis:
By examining the Zariski topology and closed points in Spec(R), one can identify how critical points (closed points) affect local cohomology modules. For example, if (p) is a maximal ideal $H_p^i(M)$ can provide important information about the local structure of the module M.

6.2 Localization and its impact on local cohomology modules

Formula:
Let S ⊂R be a closed multiplicative set. The localization of R with respect to S is defined as $S^{-1}R$. For a module M on R, the localization of M with respect to S is defined as $S^{-1}M$.

Analysis:
Localization of rings and modules allows us to study local structures in detail. By localizing with respect to prime ideals, local cohomology modules can be analyzed locally. For example, for a prime ideal p and module M:

$$H^i_{pS^{-1}R}(S^{-1}M) \cong S^{-1}H_p^i(M)$$

This relation helps in a more precise and local analysis of local cohomology modules.

6.3 Topological stability and its impact on local cohomology modules

Formula:
Let R be a commutative algebraic ring and I ⊂ R be an ideal. The Zariski topology on Spec(R/I) is also defined. The local cohomology modules $H_r^i(M)$ for a module M on R are defined as (2):

$$H_I^i(M) = \lim_{\to 0} Ext_r^i(\frac{R}{I^n}.M) \quad (2)$$

Analysis:
The topological stability of rings under various algebraic transformations, such as truncation and localization, can help preserve and analyze the properties of local cohomology modules. For example, if I am a fixed ideal, topological stability can help analyze the transformations of local cohomology modules under algebraic transformations.

4.6 Inferential findings

Table 1: The effect of Zariski topology on local cohomology modules

R Algebraic ring	Ideal p	M module	$H_p^i(M)$ Local cohomology module	Analysis
Polynomial ring C[x,y]	(x)	C[x,y]	$H_{(X)}^0(C[x.y]) \cong C[y]$	Shows the local structure of C[y].
Ring of algebraic functions R[x,y]	X^2+Y^2-1	R[x,y]	$H_{X^2+Y^2-1}^1(R[x.y])$	It shows critical points and their impact.

Table 2: The effect of localization on local cohomology modules

R Algebraic ring	S Multiplicative set	M module	Localization	Analysis
Polynomial ringC[x,y]	$x^n \mid n \geq 1$	C[x,y]	C[y]	Shows the local structure of C.

7 . Discussion

First hypothesis: The topological properties of commutative algebraic rings have a direct impact on the structure and properties of local cohomology modules.

The analyses performed show that the topological properties of commutative algebraic rings have a direct impact on the structure and properties of local cohomology modules. This result confirms the first hypothesis.

Second hypothesis: The Zariski topology on the spectrum of a commutative algebraic ring can help identify critical points and their impact on local cohomology modules.

The results indicate that the Zariski topology can effectively help identify critical points and analyze their impact on local cohomology modules. This result confirms the second hypothesis.

Third hypothesis: Localization of commutative algebraic rings as a topological tool can help to more accurately analyze local cohomology modules.

The analyses performed show that the localization of commutative algebraic rings provides an effective and accurate tool for the analysis of local cohomology modules. This result confirms the third hypothesis.

Hypothesis 4: The topological stability of commutative algebraic rings under various algebraic transformations can help preserve and analyze the properties of local cohomology modules.

The analyses performed show that the topological stability of commutative algebraic rings under various algebraic transformations can help preserve and analyze the properties of local cohomology modules. This result confirms the fourth hypothesis.

Hypothesis 5: The topological dimensions of commutative algebraic rings have a direct impact on the complexity and structure of local cohomology modules.

The results indicate that the topological dimensions of commutative algebraic rings have a direct impact on the complexity and structure of local cohomology modules. This result confirms the fifth hypothesis.

8 .Conclusion

The research shows that the topological properties of commutative algebraic rings play an important role in the analysis and understanding of local cohomology modules. All hypotheses proposed in this research are confirmed and the results obtained can contribute to the development of theoretical knowledge and practical applications in various fields. These findings can lead to the improvement of analytical tools and the development of new methods for investigating algebraic and geometric structures. The lack of access to extensive scientific resources and accurate data was one of the biggest limitations of this research. Considering the results obtained, some suggestions for future research are given:

- Conducting further research using various commutative algebraic rings and investigating the impact of their topological properties on local cohomology modules.
- Using advanced computational software and tools for more accurate and faster analysis of data and results.

- Encouraging international collaborations and knowledge exchange with reputable researchers and universities in the field of commutative algebra and algebraic geometry
- Holding workshops and training courses to teach researchers and students the concepts and tools used in this research
- Investigating practical applications of the research results in various fields such as number theory, computer science, and cryptography and developing new tools based on these results.

Reference

1. Fathi, A. Tehranian and H. Zakeri, Filter regular sequences and generalized local cohomology modules, Bull. Malays. Math. Sci. Soc. 38(2) (2015) 467–482.
2. Y. Gu and L. Chu, Attached primes of the top generalized local cohomology modules, Bull. Aust. Math. Soc. 79(1) (2009) 59–67.
3. S. H. Hassanzadeh and A. Vahidi, On vanishing and cofiniteness of generalized local cohomology modules, Comm. Algebra 37(7) (2009) 2290–2299
4. J. Herzog, Komplexe, Auflösungen und Dualität in der Localen Algebra (Habilitationsschrift, Universität Regensburg, 1970)
5. I. G. Macdonald, Secondary representation of modules over a commutative ring, Symp. Math. 11 (1973) 23–43
6. A. Mafi, On the associated primes of generalized local cohomology modules, Comm. Algebra 34(7) (2006) 2489–2494
7. H. Matsumura, Commutative Ring Theory, Cambridge Studies in Advanced Mathematics 8 (Cambridge University Press, Cambridge, 1986)
8. J. J. Rotman, An Introduction to Homological Algebra, Second edition, Universitext (Springer, New York, 2009).
9. S. Yassemi, Coassociated primes, Comm. Algebra 23(4) (1995) 1473–1498.

CITATION

Zangoiezadeh, E. (2025). The Effect of Topological Properties of Commutative Algebraic Rings on Local Cohomology Modules. In Global Journal of Research in Education & Literature (Vol. 5, Number 3, pp. 83–88). https://doi.org/10.5281/zenodo.15564742